


# **OLEOSTATIC GOLD**



## STRUCTURE

### ① FABRIC: Double cover ply - CR Dip

A reinforced, double fabric cover is plied around the belt to protect it against contamination and moisture. Its increased flexibility allows the belt to bend more easily around the smallest pulleys with far less strain on the fabric, while assuring a smoother running drive.

### ② TOP CUSHION: SBR compound + Fibers


### ③ TENSILE CORD: H.T. Polyester

The tensile section is made up of a multiple number of high-strength, low elongation polyester cords, completely embedded in the adhesion layers, to enhance resistance to tension and flex-fatigue.

Each cord is individually and specially coated to secure a long-lasting bond with the surrounding rubber and to grant a longer operational lifetime. In addition the belt requires significantly less re-tensioning and take-up due to its cord's consistent length stability. Longer belt life means less frequent replacement, less downtime and lower maintenance costs.

### ④ BOTTOM CUSHION: SBR compound + Fibers

### ⑤ BODY COMPOUND: Polychloroprene (CR) based



## MAIN FEATURES

- Higher ratings: up to +30% more power transmission capacity than standard Oleostatic belts. This allows for the design of more compact drives and cost reduction.
- A wide range of sizes and sections, covers a wide spectrum of power ratings and speeds, to solve any new drive design issue or easily upgrade the existing drive.
- Smooth-running operation, with no vibrations and a reduced noise level, as the new low stretching cords grant less tension decay.
- MegaMatch. All belts molded to the tightest dimensional tolerances. No need for set selection.
- Static conductive according to ISO 1813.
- Environment-friendly belts, all the compounds are halogen-free and RoHS compliant.


# MEGADYNE OLEOSTATIC GOLD

## A NEW GENERATION OF WRAPPED V-BELTS

Different materials and design features, together with an improved production process, have led to the development of a new class of higher rated wrapped V-belts. The new OLEOSTATIC GOLD V-belts product family can operate in a wide range of industrial applications, within a large spread of load capacities and speeds — offering rated performance from 100 to 8,000 RPM and power capability from 1 to 400 kW, meanwhile granting large cost advantages for the end users



## PERFORMANCE COMPARISON INDEX



## OLEOSTATIC GOLD RANGE

Classical (Z, A, B, C) and narrow (SPZ, SPA, SPB, SPC) cross sections and a wrapped construction, to withstand chemically aggressive environments, heat, oil and contamination.

**BELARUS**

**Minsk**  
Phone +375 17 2802486  
Info.by@megadynegroup.com

**BRASIL**

**Sorocaba**  
Phone +55 15 2101 7700  
Info.br@megadynegroup.com

**CANADA**

**Edmonton**  
Phone: +1 780 461 4400  
Info.ca@megadynegroup.com

**Montreal**

Phone: +1 514 31 2341  
Info.ca@megadynegroup.com

**Toronto**

Phone: +1 905 602 4400  
Info.ca@megadynegroup.com

**CHINA**

**Beijing**  
Phone +86 10 8150 7478  
info.cn@megadynegroup.com

**Fujian**

Phone +86 595 8816 0309  
info.cn@megadynegroup.com

**Ningbo\***

Phone +86 574 86505008  
info.cn@megadynegroup.com

**Qingdao\***

Phone +86 532-86580951  
info.cn@megadynegroup.com

**Shanghai**

Phone +86 21 5447 1473  
info.cn@megadynegroup.com

**Xi'an**

Phone +86 29 86358108  
info.cn@megadynegroup.com

**COLOMBIA**

**Bogotá**  
Phone: + 57 (1) 471 0503  
Info.co@megadynegroup.com

**Cartagena**

Phone: + 57 (5) 672 997  
Info.co@megadynegroup.com

**CZECH REPUBLIC**

**Prague**  
Phone +420 2 8481 7181  
Info.cz@megadynegroup.com

**FRANCE**

**Paris**  
Phone +33 1 6079 8200  
info.fr@megadynegroup.com

**St. Jean De Maurienne\***

info.fr@megadynegroup.com

**GERMANY**

**Borchen**  
Phone +49 5251 8735 0  
info.de@megadynegroup.com

**Elchingen\***

info.de@megadynegroup.com

**HUNGARY**

**Budapest**  
Phone +36 23 428 628  
info.hu@megadynegroup.com

**INDIA**

**Chennai\***  
Phone +91 98841 81175  
info.in@megadynegroup.com

**ISRAEL**

**Caesarea**  
Phone +972 4 6371485  
sales@megabelt.co.il

**ITALY**

**Turin\***  
Phone +39 011 926 8052  
info@megadynegroup.com

**Milan\***

Phone +39 039 689 601  
info.it@megadynegroup.com

**Pescara**

Phone +39 085 9700547  
info.it@megadynegroup.com

**Venice**

Phone: +39 041 929 367  
info.it@megadynegroup.com

**MEXICO**

**Mexico C.P.**  
Phone +52 55 5587 3680  
info.mx@megadynegroup.com

**U.S.A**

**California**  
Phone +1 323 265 8061  
info.us@megadynegroup.com

**Florida**

Phone +1 813 241 4111  
info.us@megadynegroup.com

**Georgia\***

info.us@megadynegroup.com

**Illinois**

Phone: +1630 752 0600  
info.us@megadynegroup.com

**New Jersey Americas HQ**

Phone +1 973 227 4904  
info.us@megadynegroup.com

**New York\***

Phone +1 716 667-7450  
info.us@megadynegroup.com

**North Carolina\***

info.us@megadynegroup.com

**Oregon**

Phone +1 503 231 7224  
info.us@megadynegroup.com

**Texas**

Phone +1 972 438 6992  
info.us@megadynegroup.com

**HEADQUARTERS****ITALY Turin**

Via S. Lucia, 114  
10075 Mathi (Torino)  
Phone +39 011 926 8052  
info@megadynegroup.com

[www.megadynegroup.com](http://www.megadynegroup.com)



\* Manufacturing locations